Approved For Release 2005/06/08 : CIA-RDP78T05439A000400240062-7 ILLEGIB Next 1 Page(s) In Document Exempt



SCIENTIFIC INTELLIGENCE DIGEST

Office of Scientific Intelligence CENTRAL INTELLIGENCE

AGENCY



tX1

TOP SECRET

CONTENTS

	Page
New 8-Dish Antenna Arrays at Serpukhov Radioastronomy Center	3
	•
Chinese Communist Static Test Center at Chang-Hsin-Tien	
Erected Missile Observed at Chinese Communist Missile Range	9
Soviet Research on African Swine Fever	9
Probable Radioastronomy Station in Kharkov Area	10

SID/KH/64-8 Nov 64

TOP SECRET	ı	

NEW 8-DISH ANTENNA ARRAYS AT SERPUKHOV RADIOASTRONOMY CENTER

25X1A

25X1D

25X1D

General Sciences Division
OSI/CIA

- 3 -

Two distinctive new antenna arrays under construction at Serpukhov probably will improve the observatory's capabilities in solar, lunar, and planetary radioastronomy. In some applications the arrays when used together may outperform the Serpukhov 22-meter dish, which is one of the best radiotelescopes of its type in the world.

The antenna arrays, which consist of two rows of four five-meter dishes, have over-all dimensions of ______ The arrays are similar to, but smaller than, those at the Yevpatoriya space radio facility in the Crimea. They probably will be mounted _____ apart in an east-west line parallel to the completed arm of the Mills cross radiotelescope.

Used individually or as a pair, the arrays probably will be employed in the observatory's program of lunar and planetary radioastronomy. When used together as an interferometer, they

could complement the Mills cross radiotelescope in the centimeter wavelengths in studies of solar radio emission and should improve the observatory's capabilities for observations in the decimeter and centimeter wavelengths by enabling high resolution observations to be made at a wider range of frequencies.

Astronomers at Serpukhov probably built eight-dish arrays instead of individual dishes of comparable performance in order to simplify engineering problems and reduce costs. The eight-dish arrays at Yevpatoriya were constructed for the same reason. The Crimean instruments, built in 1960, are about three times the size of those at Serpukhov. Both the Crimean and Serpukhov sets of arrays and the 22-meter dish reportedly have similarities.

25X1B

25X1D

SID/KH/64-8 Nov 64

TOP SECRET



TOP SECRET		

CHINESE COMMUNIST STATIC TEST CENTER AT CHANG-HSIN-TIEN

25X1A	
•	Ballistic Missiles and Space Division
	OSI/CIA and
0EV4A	and
25X1A	
	Space Technology Laboratories

SUMMARY AND CONCLUSIONS

25X1D

proportions.

25X1D

25X1D

25X1D

A single position stand of adequate size to support captive firing tests of liquid booster stages in the large ICBM class was constructed during

25X1D

- 5 -

and possibly was operational as early as All of the ancillary test facilities required to support an integrated surface-to-surface missile (SSM) de-velopment program have not yet been identified at the CHTMRDC static test area. However, presently unidentified installations or future construction could satisfy these support requirements. While it seems apparent that design of the test facility and initial stages of construction were carried out with Soviet technical aid, the major heavy construction and site completion was an independent Chinese effort. The construction of CHTMRDC demonstrates that the Chinese are working toward the development of a liquid booster system capable of supporting an IRBM/ICBM

or space booster program of sizable

SID/KH/64-8 Nov 64

TOP SECRET




Figure I. Ch'ang-hsin-tien Complex

TOP	SECRET-	

DISCUSSION

Description of Facility

25X1D

The complex which comprises the CHTMRDC is approximately 12.5 nautical miles west-southwest of Peiping near Chang-hsin-tien (see figure). It is served by a single-track spur and an all-weather road from Chang-hsin-tien, both of which connect with the main rail line and road to Peiping. Within a 2.5 nautical-mile radius of the center of the complex are a number of installations which are possibly functionally related to the CHTMDRC at the present time.

The static test area measures approximately 2500 by 1000 feet. The area is served by a rail spur and an all-weather road, both of which connect with the other installations in the CHTMRDC area. In a security fence/wall was under construction.

Facilities in the static test area include a test stand area, a storage/workers' housing area, two possible fueling areas, a possible research and development/ headquarters area, and about 15 miscellaneous support buildings. A possible liquid oxygen manufacturing area also
25X1D is revealed in photography The test stand area features three large vertical static test stands and their associated support buildings. Designated A, B, and C (from north to south), these test stands were constructed on the west side of the ridge to take advantage of the high ground and the deep natural ravine. Located on the west side of the ravine opposite Test Stand A and B is a group of small structures which has been


identified as a horizontal test complex (see figure).

Development History

photography in showed that test complexes A and B	25X1D 25X1D
as well as a major portion of the cen-	23/10
ter's roads, utilities, and supporting facilities were complete or nearly com-	
plete, but major construction apparently	
had not started at Complex C. Major	
ground scarring was evident at the site of the horizontal test complex. Between	
addi-	25X1E
tional supporting facilities were con-	20/(12
structed in the test areas, and con- struction of Test Stand C was initiated.	0EV4C
photographic coverage of	25X1C 25X1D
indicates that Complex C probably	25X1D
was complete and that security fencing around the entire static test installation	
was under construction. Subsequent high	
quality coverage in	25X1D
complete at all of the test stands.	25X1D
complete at all of the test stands.	
·] .
1	25X ²
	25X1E
	051/45
	25X1D 25X1D
	25/10
	25X1D
1	25X1D
	/

SID/KH/64-8 Nov 64

- 6 -



5X1

Figure 2. Ch'ang-hsin-tien Missile Research and Development Center Horizontal Test Complex

TOP SECRET-

	TOP SECRET		
	25V1B		
25X1D	25X1B	The operation observed at the horizontal test complex may have been such a test.	
•		Test Stand Characteristics	
•.		Test Stand A (see figure) appears to be an enclosed single position vertical stand intended for testing of liquid rocket engines or thrust chambers. The place-	
-25X1D 25X1B	Test Area Characteristics	ment and height of a solidly built structure at the rear of the stand as well as the height of the stand superstructure generally preclude, from an access and handling standpoint, the installation of missile stages within the test stand. The configuration of the stand flame deflec-	25745
-			25X1D
25X1B			
_			
25X1A			
		Limited amounts of propellant may be stored forward of the stand on either	_
25X1B		side of the stand exhaust flume. The types of propellants utilized at the stand have not been determined, but propel-	
	than production test activities. However, production articles from nearby facilities could be transported easily and subsequently hot-fired at CHTMRDC. On the other hand, a number of smaller struc-	lants with major toxic characteristics are not indicated. Test Stand B (see figure) appears to be an enclosed dual position vertical	
- -	tures of unidentified function are uniquely sited within the test area. These may function as cold flow or hot firing facilities for propulsion system components.	test stand intended for testing liquid rocket engines or stages. Rail service is provided to the stand pad, but whether it is provided to the stand itself is not	,
		SID/KH/64-8 Nov 64	
	- 7	' .	
	TOP SECRET		

OP SECRET O 23 50 100 SCALE IN FEET O 25 STRUCTURE POSSIBLE DEFLECTOR ALIGNMENTS PAVED AREA 150' X 150' PAVED AREA 150' X 150' PAVED AREA 150' X 150' PAVED AREA 150' X 150'

Approved For Release 2005/06/08 : CIA-RDP78T05439A000400240062-7

Figure 3. Ch'ang-hsin-tien Missile Research and Development Center Test Stand A

CHINA




Figure 4. Ch'ang-hsin-tien Missile Research and Development Center Test Stand B $\,$




Figure 5. Ch'ang-hsin-tien Missile Research and Development Center Test Stand ${\bf C}$

	TOP SECRET		•
•	known. Associated with the stand are two probable propellant storage areas. As at Stand A, a structure of unknown function is attached to the rear of the stand. Test Stand B appears to incor-2 porate two firing positions with a vertical center support between them.	Comments regarding missile stage emplacement problems and propellant combinations for Stand A also apply in the case of Stand B. 5X1B 25X1B Test Stand C (see figure) appears to be an enclosed single position vertical stand intended for the testing of missile stages.	
5X1D		itself is integrated with a solid, iree- standing substructure. The installation	
25X1B		provides for the convenient erection and stand installation of horizontally de- livered missile stages. The separation of the observation/control bunker and	
		the support building from the test stand is significantly greater at Complex C than at the other CHTMRDC test com-	25X
·		plexes. the building may be a relatively Hexible steel-framed and -clad structure. Such a structure may be more blast resistant from a catastrophic failure standpoint when exposed to moderately low overpressures than the rigid masonry support buildings at Complex B.	J
			25X1B
			25X

- 8 -

SID/KH/64-8 Nov 64

25X1D

TOP SECRET	· · · · · · · · · · · · · · · · · · ·	

PROBABLE RADIOASTRONOMY STATION IN KHARKOV AREA

25X1A General Sciences Division OSI/CIA

A probable radioastronomy facility is being constructed along the road from Chuguyev to Izyum, southeast of Kharkov which may be operated jointly by the Institute of Radiophysics and Electronics of the Ukrainian Academy of Sciences and the Kharkov Planetary Institute.

The installation north of the Chuguyev-Izyum highway was under construction in


and roads and several groups of
buildings had been completed. In
-
v
large radio interferometer. The north-
south and east-west orientations of the
interferometer arms (each about 1 mile
long) suggest that it is intended for radio-
astronomical use. However, the signifi-
cance of the installation has not yet been
determined.
determined.
25X1A ´

SID/KH/64-8 Nov 64 25X1D 25X1D

25X1D

TOP SECRET

- 10 -



TOP SECRET



Probable Radioastronomy Station in Kharkov Area

25X1D

TOP SECRET

GROUP 1 EXCLUDED FROM AUTOMATIC DISMBURACING AND DELIANTER CATTON OSI REPORTS DISTRIBUTED DURING OCTOBER 1964

25X1D

SID/KH/64-8 Nov 64

- 11 -

TOP SECRET

2-